

Original Research

Received 06 June 2026

Revised 23 July 2026

Accepted 08 August 2026

Natural Resources for Human Health 2026, Vol. 6 (14s): 348–357

KEYWORDS:

Organic manures, Biofertilizers, Soil organic matter, Nutrient cycling, Sustainable agriculture, Soil fertility management.

The Role of Biofertilizers and Organic Manures in Sustainable Soil Fertility Management

¹Dr. Soniya Singh, ²Dr. Mohd. Irfan, ³Dr. Vikas Kumar, ⁴Dr. Avadhesh Kumar Koshal, ⁵Osin Harish Kumar, ⁵Aanchal Chauhan,

¹Associate Professor, Department of Botany, Phonics University, Roorkee, Haridwar, Uttarakhand

²Assistant Professor and Head, Department of Botany, Chaman Lal Mahavidhyalaya, Landhora, Haridwar

³Assistant professor/Scientist, KVK Baghpat (sardar Vallabhbhai Patel University of agriculture and technology Meerut, UP)

⁴Professor, Faculty of Science, Motherhood University, Roorkee, Haridwar, Uttarakhand

⁵Research Scholar, Department of Botany, Phonics University, Roorkee, Haridwar, Uttarakhand

Corresponding E-mail:soniyachaudhry123456@gmail.com

ABSTRACT: Strong farming systems, food security, and environmental protection all depend on the sustainable management of soil fertility. Biofertilizers (nitrogen-fixing bacteria, phosphate-solubilizing microbes, mycorrhizal fungi, plant growth-promoting rhizobacteria) and organic manures (farmyard manure, compost, green manure, vermicompost, crop residues) provide biologically motivated alternatives and supplements to chemical fertilizers. They increase soil organic matter, improve soil texture and water retention, promote soil biological activity, and slowly release macro- and micronutrients. Through biological processes (biological nitrogen fixation, phosphate solubilization, siderophore synthesis), biofertilizers increase nutrient availability and often enhance plant stress tolerance. Combining organic manure with targeted biofertilizers can maintain or increase crop yields while reducing dependence on external inputs and adverse environmental impacts (nitrate leaching, greenhouse gas emissions). Variations in nutrient content across organic inputs, labor and management requirements, limited knowledge, differences in biofertilizer product quality and shelf life, and scaling up for intensive systems all present barriers to adoption. Identifying standard organic materials, selecting biofertilizer strains and quality control, determining optimal application rates and timing, and on-farm demonstrations should be key areas for research and scaling up. Policy initiatives (composting subsidies, inoculant certification and quality criteria, and training programs) can accelerate adoption. To popularize these practices in sustainable soil management, this paper outlines the agricultural and environmental benefits of organic manures and biofertilizers, reviews how they contribute to soil fertility, offers practical implementation strategies, and identifies research and policy needs.

1. INTRODUCTION:

Because it impacts crop yields, food security, and environmental well-being, soil fertility is a key component of sustainable farming practices. However, due to intensive farming practices, excessive reliance on chemical fertilizers, and the

consequences of climate change, the degradation of agricultural soils is a significant problem. To address these challenges, there is a growing demand for innovative methods to enhance and maintain soil fertility. Organic materials, such as compost, manure, and crop residues, supply essential nutrients while improving soil structure, water retention, and microbial activity. These materials not only provide macronutrients like nitrogen, phosphorus, and potassium, but also increase soil organic matter, which is essential for soil health and long-term fertility. Furthermore, organic amendments are a viable strategy to mitigate climate change because they can help sequester carbon. Biofertilizers, which use beneficial microorganisms such as nitrogen-fixing bacteria, phosphate-solubilizing bacteria, and mycorrhizal fungi, are essential for maximizing plant nutrient uptake. They promote nitrogen absorption through improved nutrient cycling and soil microbial diversity. Biofertilizers can also reduce reliance on chemical fertilizers, thereby reducing environmental damage and promoting ecological balance.

Soil quality serves as a fundamental factor supporting both agricultural productivity and sustainability (Powlson *et al.*, 2011). However, soil quality degradation is already becoming a serious global concern, threatening food security, environmental sustainability, and harming farming communities (Montgomery, 2017). Key factors include intensive agriculture, excessive chemical use, deforestation, and weather (Byerly *et al.*, 2014). Excessive and uneven use of chemical fertilizers has led to serious adverse effects, such as nutrient imbalances, soil acidification, loss of soil organic matter, and reduced microbial biodiversity (Pahlavi *et al.*, 2021). These elements reduce soil fertility, along with soil erosion and drought resistance. To address these problems, there is a growing movement to adopt sustainable soil management practices in agricultural research and practice. Organic amendments, including compost, farmyard manure, crop residues, and green manure, are known to rebuild soil organic matter, improve soil texture, and slowly release essential nutrients (Ansari *et al.*, 2019). To maximize soil nutrient cycling and enhance plant growth, biofertilizers microbial inoculants that improve nutrient availability and absorption—are being increasingly used (Chakmaki, 2019). These biological inputs, which include nitrogen-fixing bacteria, phosphate-solubilizing microorganisms, and mycorrhizal fungi, significantly improve the soil micro biome for nutrient synergy (Yadav *et al.*, 2021).

Agriculture, which involves crop production and animal husbandry, is the most fundamental form of human endeavor. Farmland sustains and protects the world's population, making it the most fundamental of the Earth's many and varied resources. The exact origins of agriculture are unknown, but as the human population grew, fishing and hunting became increasingly important as a means of supplementing the deficits in agriculture, leading to a never-ending quest for sustenance. It became clear that food production was essential for humans to live long and secure lives. Thus, it is clear that this gave rise to the importance of agriculture. Around the world, agriculture provides a significant portion of household income. People rely on agriculture to feed their families, make a living, and start small businesses (Dorosh and Thurlow, 2016; Abhilash *et al.*, 2021). Agriculture is a less common source of income in wealthy countries, yet it directly or indirectly benefits everyone on Earth. The growing demand for agricultural inputs worldwide has created numerous job opportunities (Mathlouth *et al.*, 2022). A significant portion of many people's jobs are tied to agriculture. Many people in both wealthy and developing countries earn income from agriculture through construction projects, drainage systems, suppliers, and other activities (Bennett *et al.*, 2013). Agriculture has numerous benefits, and its importance should not be underestimated. It provides fundamental, financial, and developmental benefits. It plays a vital role in the lifestyle of both developed and developing countries, and every country in the world benefits in some way (Christiansen *et al.*, 2011; Dubey *et al.*, 2022).

High-yield seeds, chemical fertilizers, irrigation water, pesticides, and other technologies are the foundation of modern agriculture, a changing approach to agricultural progress and farming practices (Gamage *et al.*, 2022). Crop cultivation and micro-irrigation, forestry, animal production, aquaculture, and fisheries are the main uses of plastics in agriculture. People must address a variety of man-made and natural threats to maintain food security. In addition to addressing food safety concerns, the growing demand for food also serves as a source of foreign exchange. Food production processes, from cultivation to consumer distribution, have been evaluated. However, humans have developed more methods than natural processes because the rapid increase in food demand could not be met by traditional methods. However, due to the lack of sustainable practices, it has now exceeded the natural limits of the environment and has led to numerous adverse consequences. Due to the harmful changes occurring in the environment and ecosystems, the value of environmental quality cannot be maintained in the future. While resources are limited, human needs and expectations are numerous, and recovery or restoration may take hundreds or even millions of years. Therefore, the main reasons for concern about equitable access to natural resources for future generations are widespread environmental damage, such as soil, water, and air pollution, poverty, and concerns about a good quality of life. The natural resources that exist for further agricultural expansion are virtually

depleted, as most agricultural land has already been cultivated and exceeded safe limits. Alternative farming techniques are needed that can maintain and increase productivity while maintaining healthy ecosystems. The most well-known alternative is organic farming. When farmers receive higher prices for their produce, it becomes economically profitable. Low yields, difficulties maintaining soil fertility levels, obtaining necessary certifications, and access to markets are some of the common challenges faced by organic farmers. To reduce the barriers and difficulties of organic farming, it is important to combine organic farming with innovative technologies. Creative and sustainable methods of organic farming improve the quality of life and agricultural productivity of many farmers in an eco-friendly manner. The main topics covered in this review are agricultural pollutants and their impacts, sustainable development and organic farming, the challenges and obstacles of organic farming, and new innovative technologies that increase the effectiveness of both organic fertilizer use and organic farming.

2. AN OVERVIEW OF ORGANIC AMENDMENTS:

Because they provide a natural way to improve soil fertility and health, organic amendments are crucial to sustainable agriculture (Diokno *et al.*, 2011). Organic amendments are derived from organic elements such as compost, farmyard manure, green manure, and crop residues (M. Tahat *et al.*, 2020). They are an essential part of improving soil quality because they are rich in organic matter and essential nutrients (Fegeria, 2012). The benefits of organic amendments include a wide range of physical, chemical, and biological benefits, which together contribute to crop yields and environmental sustainability (Singh *et al.*, 2024). Organic matter enhances soil texture and improves its water-holding capacity, aeration, and cation exchange capacity (CEC) (Singh *et al.*, 2022). They also serve as an energy source and substrate for beneficial soil microbes, increasing microbial diversity and nutrient cycling (Aislaby *et al.*, 2013). This biological activity helps break down organic matter into stable humus, which is essential for soil fertility (Rastogi *et al.*, 2023). Furthermore, it also aids in carbon sequestration, thereby reducing atmospheric carbon levels and mitigating climate change (Lal, 2009).

2.1 BENEFITS OF ORGANIC AMENDMENTS:

As organic amendments break down, they slowly release nutrients, providing plants with a steady supply of essential macronutrients like potassium, phosphorus, and nitrogen, as well as micronutrients (Dhaliwal *et al.*, 2024). Slow release reduces nutrient leaching and increases nutrient utilization efficiency, making it beneficial for maintaining soil fertility (Rashid *et al.*, 2021). Organic matter increases soil compaction, making it more porous and allowing for greater water infiltration (Franzluebbers, 2002). Furthermore, improved soil texture increases the soil's ability to retain nutrients and moisture, making it less susceptible to compaction and erosion (Bronick and Lal, 2005). Because organic matter acts like a sponge, it increases the soil's water retention capacity and makes it available to plants during droughts (Bhadha *et al.*, 2017). This property is particularly useful in dry and semi-arid climates. Stable organic carbon compounds, which retain carbon for long periods, are formed in part from organic matter in the soil (Dalal and Bridge, 2020). This helps balance greenhouse gas emissions and thus combat climate change. By providing bacteria with a constant supply of energy-rich substrate, organic amendments promote a vibrant soil microbiome (Sharma *et al.*, 2023). This activity enhances nutrient cycling activities such as nitrogen fixation and phosphorus solubilization to improve overall soil fertility.

2.2 LIMITATIONS AND DRAWBACKS OF AMENDMENTS:

Despite the many advantages of organic amendments, there are several challenges that must be carefully managed to fully benefit from them. Organic amendments can have varying nutrient content depending on source, processing, and storage conditions. Regular analysis and proper blending can help maintain a balanced supply of nutrients (Urre *et al.*, 2019). Because organic amendments are bulky, they require considerable labor to collect, transport, and apply. These logistical challenges can be mitigated by decentralized composting and localized production (Senadheera *et al.*, 2024). Organic waste, especially virgin compost, harbors diseases that can impact crops and even human health. Although delayed nutrient release is essential for long-term soil fertility, it cannot meet the immediate nutrient needs of high-yielding crops. Supplementing organic amendments with biofertilizers or using small amounts of synthetic fertilizers can help mitigate short-term nutrient deficiencies without compromising sustainability (Osman and Osman, 2013). By overcoming these limitations through improved management techniques and integration with other sustainable farming inputs, organic amendments can become an important part of a more robust and productive agricultural system.

3. BIOFERTILIZERS:

Unlocking Microbial Potential An environmentally sound alternative to chemical fertilizers, biofertilizers are biological inputs made from living microorganisms that improve soil fertility and promote plant growth (Riaz *et al.*, 2020). These helpful microbes improve nutrient availability and absorption through symbiotic or non-symbiotic interactions with plant roots, as well as improve the soil environment (Calapardo and Manigo, 2024). Some common biofertilizers include Rhizobium and Azospirillum, which fix nitrogen, Pseudomonas and Bacillus, which solubilize phosphorus, and mycorrhizal fungi, which form symbiotic connections with roots (Kumar *et al.*, 2018). By reducing environmental impact and increasing crop production, their use in agriculture serves as a foundation for sustainable agriculture.

3.1 How bio fertilizers work:

Some, such as Rhizobium in legumes and Azospirillum in non-legume crops, convert nitrogen in the soil into ammonia, which is easily absorbed by crops (Rajesh and Ray, 2020). This reduces the use of synthetic ammonium nitrate, which is expensive to produce and releases significant amounts of greenhouse gases. Plants are unable to access most of the insoluble phosphorus molecules present in the soil (Meneget *et al.*, 2021). Pseudomonas and Bacillus are examples of phosphate-soluble microorganisms that produce organic acids and enzymes that convert these compounds into soluble forms, increasing phosphorus availability and absorption (Emami-Karwani *et al.*, 2021). Mycorrhizal fungi, especially arbuscular mycorrhizae (AMF), form symbionts with plant roots. By spreading their hyphal networks in the soil, these fungi increase the surface area of roots for uptake of water and nutrients, especially micronutrients such as phosphorus and zinc (Wahab *et al.*, 2023). Many biofertilizers produce phytohormones such as auxins, gibberellins, and cytokinins. These hormones promote seed germination, root growth, and plant vigor, thereby increasing growth and yield (Thakur, R. 2022). Biofertilizers effective against soil pathogens include Pseudomonas fluorescens and Trichoderma (Vikas *et al.*, 2019). To promote plant growth and reduce the need for chemical pesticides, these microorganisms produce antibiotics, siderophores, and enzymes that suppress harmful germs (Riaz *et al.*, 2021).

3.2 Benefits of bio fertilizers:

Biofertilizers prevent pollution caused by the use of chemical fertilizers, which can lead to eutrophication of water bodies and acidification of soils (Suhag, 2016). By reducing the use of chemical inputs, biofertilizers promote clean and green farming practices (Kumar *et al.*, 2018). By improving soil nutrient cycling, biofertilizers help plants absorb nutrients more consistently and effectively. This fertilizer delivery efficiency reduces nutrient losses due to volatilization or leaching, making nutrient management more cost-effective for farmers (Asadu *et al.*, 2024). Biofertilizers are cheaper than chemical fertilizers. By improving soil fertility, they provide long-term benefits. Their ability to increase nutrient availability reduces the need for expensive synthetic inputs (Aggani, 2013). Biofertilizers, when applied frequently, improve soil microbial diversity and activity. Furthermore, they contribute to a robust soil ecology (Ahmed *et al.*, 2023). Microbial richness enhances soil structure and decomposes organic matter to improve nutrient recycling (Condrón *et al.*, 2010). According to Mahmood *et al.* (2021), biofertilizers increase plant resistance to several abiotic challenges, such as salt, drought, and heavy metal toxicity. This is due to improved nutrient intake, root system function, and the synthesis of stress-reducing substances. By promoting improved nutrient intake and plant health, biofertilizers help increase crop yields and improve product quality (Bhardwaj *et al.*, 2014). Furthermore, biofertilizers can enhance the nutritional content of crops, providing even greater benefits to consumers.

3.3 Limitations and potential:

Despite the many benefits of biofertilizers, their effectiveness can be affected by soil conditions, crop type, and environmental factors (Malik *et al.*, 2020). The survival and activity of biofertilizer microorganisms in different field environments remains an issue. To maximize the benefits of biofertilizers, formulations need to be tailored to specific agro-climatic conditions and cropping systems (Sharma *et al.*, 2023). Biofertilizers can be combined with organic amendments or low-dose chemical fertilizers to further enhance their performance, leading to more sustainable and resilient farming practices (Medich *et al.*, 2020).

4. SYNERGISTIC EFFECTS OF ORGANIC AMENDMENTS AND BIOFERTILIZERS:

Organic amendments and biofertilizers can be used together, which is a good strategy for sustainably controlling soil fertility (Imran, 2024). These inputs, when used together, create a synergistic connection that leverages the strengths of each to promote soil health, nutrient availability, and crop productivity (Shah *et al.*, 2019). Organic amendments, rich in organic

matter, provide the microorganisms in biofertilizers with the right habitat and energy source for their survival, colonization, and activity in the soil (**Bamdad *et al.*, 2022**). This mutually beneficial interaction promotes a vibrant and balanced soil ecosystem, improving nutrient cycling and further supporting long-term soil fertility (**Sahu *et al.*, 2017**).

4.1 Evidence and case studies:

Numerous studies and field trials have highlighted the benefits of combining organic amendments with biofertilizers: Research has shown that spreading compost or farmyard manure along with nitrogen-fixing bacteria, such as *Rhizobium* and *Azospirillum*, significantly increases crop yields compared to using either input alone (**Kennedy *et al.*, 2004**). For example, in legume crops, this combination improves nitrogen availability by promoting root nodule formation (**Fustek *et al.*, 2010**). An experiment on wheat showed that treating phosphate-solubilizing bacteria with organic amendments increased their ability to take up and use phosphorus (**Ahmed *et al.*, 2024**). Furthermore, this integrated approach facilitated the availability of micronutrients such as iron and zinc. Combining green manures and mycorrhizal fungi has been shown to increase soil compaction, microbial biomass, and enzymatic activity, leading to improved soil health (**Nosratabad *et al.*, 2017**). Long-term testing in rice-paddy systems showed that combining these inputs increased soil organic carbon and water-holding capacity. Case studies in vegetable production have shown that the use of biofertilizers combined with crop residues has reduced synthetic fertilizer use by approximately 40%, thereby reducing costs and reducing environmental pollution (**Verma *et al.*, 2017**). The combination of organic manure and biofertilizers has been associated with increased plant resistance to drought and salinity (**Hok *et al.*, 2022**). This results in improved root development, better nutrient absorption, and soil water retention (**Yang *et al.*, 2022**).

4.2 Integration best practices:

To maximize the benefits of integrating organic amendments and biofertilizers, the following best practices should be followed: Not every biofertilizer works well with all types of organic amendments (**Ahmed *et al.*, 2008**). Compatibility studies should be conducted based on soil type, crop needs, and environmental conditions (**Abdel Rahman *et al.*, 2022**). For example, some strains of phosphate-solubilizing bacteria may work better with compost than with raw manure. Applications should be timed to maximize synergistic effects (**Lehr *et al.*, 2009**). Organic amendments should be applied with some time to decompose beforehand, providing a nutrient-rich environment for the biofertilizer microorganisms to thrive (**Mahanty *et al.*, 2017**). Organic amendments and biofertilizers should be of high quality. Well-formulated biofertilizers with a high microbial population and well-composted compost material free of pathogens ensure effective integration (**Bhardwaj *et al.*, 2024**). To assess the effectiveness of the combined inputs, soil pH, moisture, and nutrient levels should be regularly monitored. Further adjustments or adjustments to treatment rates may be necessary to assess crop growth and soil health indicators (**Rossell *et al.*, 2016**). It should be tailored to each cropping system and agroclimatic conditions. For example, this unique integration of green manure with mycorrhizal fungi will thrive in water-stressed areas, while compost with nitrogen-fixing bacteria may be suitable for nutrient-poor soils (**Sami *et al.*, 2019**). For this approach to be adopted on a large scale, farmers must be properly educated about the benefits, application methods, and management practices of combining organic amendments with biofertilizers (**Ochieng, 2015**). Extension programs and demonstration plots can help build trust in these environmentally friendly methods. With these technologies, the synergistic use of organic amendments and biofertilizers will be a game-changer in sustainable agriculture (**Kumawat *et al.*, 2021**), addressing problems related to soil degradation, nutrient depletion, and environmental concerns.

5. OBSTACLES FOR MOST FARMERS:

Especially in developing countries, are unaware of the benefits and proper use practices of organic amendments and biofertilizers (**Arjumand *et al.*, 2021**). Poor access to training and extension services is another reason for the limited use of these inputs (**Aker, 2011**). Their reliance on conventional inputs is due to misconceptions about their effectiveness compared to chemical fertilizers. Because of lack of production standards, inadequate storage, and insufficient quality control, the quality of biofertilizer products varies significantly (**Maso *et al.*, 2016**). This variability can eventually lead farmers to discontinue biofertilizer use altogether, making their use less reliable (**Majid and Khan, 2015**).

The nutritional makeup of organic amendments also varies depending on their source and processing techniques (**Gauss *et al.*, 2013**). The large-scale production, storage, and delivery of high-quality organic amendments and biofertilizers requires extensive infrastructure support, which is often lacking in most agricultural areas (**Raimi *et al.*, 2021**). Due to their weight,

handling organic products like manure or compost poses significant logistical challenges and high transportation costs (**Di Carlo, 2000**). Environmental factors such as soil pH, temperature, and moisture content can affect how effective biofertilizers are (**Itelima et al., 2018**). Poor conditions can impact the survival and activity of biofertilizer microorganisms (**Tariq et al., 2022**). Furthermore, some organic amendments, if not properly implemented, can introduce soil pathogens or weeds. The adoption of organic amendments and biofertilizers is hindered by a lack of market benefits and legal support (**Masso et al., 2015**). Farmers are less likely to use chemical fertilizers because the infrastructure and subsidies required are significantly higher than those for bio-based alternatives (**Dammer et al., 2023**).

5.1 Expectations:

A multi-pronged strategy is needed to overcome these barriers and fully utilize organic fertilizers and biofertilizers: Initiatives should focus on educating farmers about the benefits of organic fertilizers and biofertilizers, as well as how to use them correctly (**Thakur, 2017**). Community-based training programs, demonstration plots, and extension services can help promote adoption.

Quality control methods and certification processes for biofertilizers and organic amendments should be robust (**Balakrishna et al., 2023**). This will ensure efficacy, consistency, and user confidence. Investing in research to improve the nutrient composition and pathogen-free nature of organic amendments can further enhance their reliability (**Palansuriya et al., 2023**). If local production facilities are established for composting and biofertilizer production, scaling and logistics issues will be less necessary (**Tiemann and Douxchamps, 2023**). Decentralized solutions reduce transportation costs and ensure timely inputs (**Valley et al., 2011**). The private and public sectors are essential support systems for building this institution. Future research should focus on developing improved biofertilizer formulations, including multi-strain microbial consortia and encapsulated products that improve shelf life and performance under varying conditions (**Yadav, A., & Yadav, K., 2024**). The synergistic effects of biofertilizers and organic amendments, customized for specific crops and soils, can be maximized by their simultaneous use (**Sande et al., 2024**). Policymakers should promote sustainable soil fertility management through tax breaks, subsidies, and incentives for farmers using biofertilizers and organic amendments (**Kishore et al., 2021**). Strengthening the regulatory framework to promote organic farming practices and incorporating them into national agricultural strategies will increase their widespread use (**Stolz et al., 2009**).

Digital tools and precision agriculture technology can be used to improve the application efficiency of organic amendments and biofertilizers (**Berman et al., 2019**). Mobile applications, soil health monitoring technology, and GIS-based mapping can be used to provide farmers with specific recommendations for sustainable nutrient management (**Mathenge et al., 2022**).

6. CONCLUSION:

Organic amendments and biofertilizers are emerging as essential components of sustainable soil fertility management. Their use provides a comprehensive strategy to address problems such as deteriorating soil health, nutrient imbalances, and environmental degradation. By enhancing soil structure, microbial diversity, and nutrient availability, these inputs improve agricultural productivity, reduce dependence on chemical fertilizers, mitigate environmental pollution, and promote long-term soil health.

To achieve both environmental sustainability and global food security, organic modifications and biofertilizers must be incorporated into mainstream farming practices. Consequently, this remains a difficult process that requires coordination among multiple stakeholders for widespread adoption. Extensive research and development must be conducted to improve product consistency, efficiency, and formulation innovations that are compatible with diverse agroclimatic conditions. Farmer education and capacity building should be a key focus in the education and distribution of best practices. Supportive regulations, market incentives, and infrastructure development should also be implemented to ensure their production, distribution, and widespread adoption. The combined use of biofertilizers and organic changes has the potential to transform today's agriculture toward sustainability and sustainability. Therefore, with the simultaneous challenges of feeding a growing global population and mitigating climate change, adopting these "eco-friendly" methods will remain a vital step in shaping tomorrow's agriculture in a sustainable way. Through combined efforts in research, education, and policy, we are poised to pave the way toward a greener, healthier, and more productive world.

REFERENCE

- [1] AbdelRahman MA, Saleh AM, Arafat SM. Assessment of land suitability using a soil-indicator-based approach in a geomatics environment. *Sci Rep.* 2022;12(1):18113.
- [2] Aggani SL. Development of bio-fertilizers and its future perspective. *Sch Acad J Pharm.* 2013;2(4):327-32.
- [3] Ahmad R, Arshad M, Khalid A, Zahir ZA. Effectiveness of organic-/bio-fertilizer supplemented with chemical fertilizers for improving soil water retention, aggregate stability, growth and nutrient uptake of maize (*Zea mays* L.). *J Sustain Agric.* 2008;31(4):57-77. Pasted markdown
- [4] Ahmed AF, Dahdouh SM, Abu-hashim M, Merwad ARM. Integration of organic amendments and phosphate-solubilizing bacteria improves wheat growth and yield by modulating phosphorus availability and physiological responses. *J Plant Nutr.* 2024;1-22.
- [5] Ahmed T, Noman M, Qi Y, Shahid M, Hussain S, Masood HA, et al. Fertilization of Microbial Composts: A Technology for Improving Stress Resilience in Plants. *Plants.* 2023;12(20):3550.
- [6] Aislabie J, Deslippe JR, Dymond J. Soil microbes and their contribution to soil services. In: *Ecosystem services in New Zealand—conditions and trends.* Manaaki Whenua Press; c2013. p. 143-61.
- [7] Aker JC. Dial “A” for agriculture: a review of information and communication technologies for agricultural extension in developing countries. *Agric Econ.* 2011;42(6):631-47.
- [8] Ansari RA, Sumbul A, Rizvi R, Mahmood I. Organic soil amendments: potential tool for soil and plant health management. In: *Plant Health Under Biotic Stress: Volume 1: Organic Strategies.* 2019. p. 1-35.
- [9] Arjjumend H, Koutouki K, Neufeld S. Comparative advantage of using biofertilizers in Indian agroecosystems: an analysis from the perspectives of stakeholders. *Eur J Agric Food Sci.* 2021;3(2):26-36.
- [10] Asadu CO, Ezema CA, Ekwueme BN, Onu CE, Onoh IM, Adejoh T, et al. Enhanced efficiency fertilizers: Overview of production methods, materials used, nutrients release mechanisms, benefits and considerations. *Environ Pollut Manag.* 2024.
- [11] Balkrishna A, Arya V, Bhat R, Chaudhary P, Mishra S, Kumar A, et al. Organic farming for sustainable agriculture and public health: Patanjali's perspective. *Vegetos.* 2023;1-10.
- [12] Bamdad H, Papari S, Lazarovits G, Berruti F. Soil amendments for sustainable agriculture: Microbial organic fertilizers. *Soil Use Manag.* 2022;38(1):94-120.
- [13] Barman S, Das S, Bhattacharya SS. The prospects of bio-fertilizer technology for productive and sustainable agricultural growth. In: *New and Future Developments in Microbial Biotechnology and Bioengineering.* Elsevier; c2019. p. 233-53.
- [14] Bhadha JH, Capasso JM, Khatiwada R, Swanson S, LaBorde C. Raising soil organic matter content to improve water holding capacity: SI447/Ss661, 10/2017. *Edis.* 2017(5).
- [15] Bhardwaj D, Ansari MW, Sahoo RK, Tuteja N. Biofertilizers function as key player in sustainable agriculture by improving soil fertility, plant tolerance and crop productivity. *Microb Cell Fact.* 2014;13:1-10.
- [16] Bhardwaj T, Khanna K, Sharma N, Kour J, Singh AD, Dhiman S, et al. Microbial dynamics within rhizosphere: An aspect to agricultural sustainability. In: *Molecular and Physiological Insights into Plant Stress Tolerance and Applications in Agriculture-Part 2.* Bentham Science Publishers; c2024. p. 32-70.
- [17] Bhattacharyya R, Ghosh BN, Mishra PK, Mandal B, Rao CS, Sarkar D, et al. Soil degradation in India: Challenges and potential solutions. *Sustainability.* 2015;7(4):3528-70.
- [18] Bronick CJ, Lal R. Soil structure and management: a review. *Geoderma.* 2005;124(1-2):3-22.
- [19] Byerlee D, Stevenson J, Villoria N. Does intensification slow crop land expansion or encourage deforestation? *Global Food Sec.* 2014;3(2):92-98.
- [20] Çakmakçı R. A review of biological fertilizers current use, new approaches, and future perspectives. *Int J Innov Stud Sci Eng Technol.* 2019;5(7):83-92.
- [21] Calapardo MJM, MANIGO BI. Enhancing herbage growth, yield and quality of stevia (*Stevia rebaudiana* Bertoni) using bio-organic nutrients in varied soil media. *Sains Malaysiana.* 2024;53(3):533-47.
- [22] Condon L, Stark C, O'Callaghan M, Clinton P, Huang Z. The role of microbial communities in the formation and decomposition of soil organic matter. In: *Soil Microbiology and Sustainable Crop Production.* 2010. p. 81-118.
- [23] Dalal RC, Bridge BJ. Aggregation and organic matter storage in sub-humid and semi-arid soils. In: *Structure and Organic Matter Storage in Agricultural Soils.* CRC Press; c2020. p. 263-307.

- [24] Dammer L, Carus M, Porc O. The use of food and feed crops for bio-based materials and the related effects on food security: Promoting evidence-based debates and recognizing potential benefits. *Ind Biotechnol.* 2023;19(5):257-71.
- [25] Dhaliwal SS, Dubey SK, Kumar D, Toor AS, Walia SS, Randhawa MK, et al. Enhanced Organic Carbon Triggers Transformations of Macronutrients, Micronutrients, and Secondary Plant Nutrients and Their Dynamics in the Soil under Different Cropping Systems-A Review. *J Soil Sci Plant Nutr.* 2024;1-21.
- [26] Diacono M, Montemurro F. Long-term effects of organic amendments on soil fertility. In: *Sustainable Agriculture Volume 2.* 2011. p. 761-86.
- [27] DiCarlo Y. Assessment of shipping costs and transportation issues of delivered bulk compost. 2000.
- [28] Fageria NK. Role of soil organic matter in maintaining sustainability of cropping systems. *Commun Soil Sci Plant Anal.* 2012;43(16):2063-2113.
- [29] Folorunsho LS. Microbiological profiling of food waste compost. Master's thesis, University of Malaya (Malaysia). 2019.
- [30] Franzluebbers AJ. Water infiltration and soil structure related to organic matter and its stratification with depth. *Soil Tillage Res.* 2002;66(2):197-205.
- [31] Fustec J, Lesuffleur F, Mahieu S, Cliquet JB. Nitrogen rhizodeposition of legumes. A review. *Agron Sustain Dev.* 2010;30:57-66.
- [32] Goss MJ, Tubeileh A, Goorahoo D. A review of the use of organic amendments and the risk to human health. *Adv Agron.* 2013;120:275-79.
- [33] Hoque MN, Imran S, Hannan A, Paul NC, Mahamud MA, Chakroborty J, et al. Organic amendments for mitigation of salinity stress in plants: a review. *Life.* 2022;12(10):1632.
- [34] Imran. Integration of organic, inorganic and bio fertilizer, improve maize-wheat system productivity and soil nutrients. *J Plant Nutr.* 2024;1-17.
- [35] Iteima JU, Bang WJ, Onyimba IA, Sila MD, Egbere OJ. Bio-fertilizers as key player in enhancing soil fertility and crop productivity: A review. 2018.
- [36] Kamyab H, Saberikamarposhti M, Hashim H, Yusuf M. Carbon dynamics in agricultural greenhouse gas emissions and removals: a comprehensive review. *Carbon Lett.* 2024;34(1):265-89.
- [37] Kennedy IR, Choudhury ATM, Kecskés ML. Non-symbiotic bacterial diazotrophs in crop-farming systems: can their potential for plant growth promotion be better exploited? *Soil Biol Biochem.* 2004;36(8):1229-44.
- [38] Kishore A, Alvi M, Krupnik TJ. Development of balanced nutrient management innovations in South Asia: perspectives from Bangladesh, India, Nepal, and Sri Lanka. *Global Food Sec.* 2021;28:100464.
- [39] Kumar MS, Reddy GC, Phogat M, Korav S. Role of bio-fertilizers towards sustainable agricultural development: A review. *J Pharmacogn Phytochem.* 2018;7(6):1915-21.
- [40] Kumar MS, Reddy GC, Phogat M, Korav S. Role of bio-fertilizers towards sustainable agricultural development: A review. *J Pharmacogn Phytochem.* 2018;7(6):1915-21.
- [41] Kumawat KC, Nagpal S, Sharma P. Present scenario of bio-fertilizer production and marketing around the globe. In: *Biofertilizers.* Woodhead Publishing; c2021. p. 389-413.
- [42] Lal R. Sequestering atmospheric carbon dioxide. *Crit Rev Plant Sci.* 2009;28(3):90-96.
- [43] Lehár J, Krueger AS, Avery W, Heilbut AM, Johansen LM, Price ER, et al. Synergistic drug combinations tend to improve therapeutically relevant selectivity. *Nat Biotechnol.* 2009;27(7):659-66.
- [44] Tahat MM, Alananbeh KM, Othman Y, Leskovar DI. Soil health and sustainable agriculture. *Sustainability.* 2020;12(12):4859.
- [45] Maçik M, Gryta A, Frac M. Biofertilizers in agriculture: An overview on concepts, strategies and effects on soil microorganisms. *Adv Agron.* 2020;162:31-87.
- [46] Mahanty T, Bhattacharjee S, Goswami M, Bhattacharyya P, Das B, Ghosh A, Tribedi P. Biofertilizers: a potential approach for sustainable agriculture development. *Environ Sci Pollut Res.* 2017;24:3315-33.
- [47] Mahmud AA, Upadhyay SK, Srivastava AK, Bhojiya AA. Biofertilizers: A Nexus between soil fertility and crop productivity under abiotic stress. *Curr Res Environ Sustain.* 2021;3:100063.
- [48] Masso C, AbdelGadir AAH, Thuita MN, Tarus D, Mitiku G, Shimber T, et al. Training manual for product screening and inspection; c2016.

- [49] Masso C, Ochieng JA, Vanlauwe B. Worldwide contrast in application of bio-fertilizers for sustainable agriculture: lessons for sub-Saharan Africa. *J Biol Agric Healthcare*. 2015;5(12):34-50.
- [50] Mathenge M, Sonneveld BG, Broerse JE. Application of GIS in agriculture in promoting evidence-informed decision making for improving agriculture sustainability: a systematic review. *Sustainability*. 2022;14(16):9974.
- [51] Mazid M, Khan TA. Future of bio-fertilizers in Indian agriculture: an overview. *Int J Agric Food Res*. 2015, 3(3).
- [52] Meddich A, Oufdou K, Boutasknit A, Raklami A, Tahiri A, Ben-Laouane R, et al. Use of organic and biological fertilizers as strategies to improve crop biomass, yields and physicochemical parameters of soil. In: *Nutrient dynamics for sustainable crop production*; c2020. p. 247-88.
- [53] Montgomery DR. *Growing a revolution: bringing our soil back to life*. WW Norton & Company; c2017.
- [54] Nosratabad ARF, Etesami H, Shariati S. Integrated use of organic fertilizer and bacterial inoculant improves phosphorus use efficiency in wheat (*Triticum aestivum* L.) fertilized with triple superphosphate. *Rhizosphere*. 2017;3:109-11.
- [55] Ochieng R. *Towards a regulatory framework for increased and sustainable use of bio-fertilizers in Kenya*. [Doctoral dissertation]. 2015.
- [56] Osman KT, Osman KT. Plant nutrients and soil fertility management. In: *Soils: Principles, properties and management*; c2013. p. 129-59.
- [57] Paharvi HN, Rafiya L, Rashid S, Nisar B, Kamili AN. Chemical fertilizers and their impact on soil health. In: *Microbiota and Biofertilizers, Vol 2: Ecofriendly tools for reclamation of degraded soil environs*. 2021. p. 1-20.
- [58] Palansooriya KN, Dissanayake PD, Igalavithana AD, Tang R, Cai Y, Chang SX. Converting food waste into soil amendments for improving soil sustainability and crop productivity: a review. *Sci Total Environ*. 2023;881:163311.
- [59] Pedrinho A, Mendes LW, de Araujo Pereira AP, Araujo ASF, Vaishnav A, Karpouzas DG, et al. Soil microbial diversity plays an important role in resisting and restoring degraded ecosystems. *Plant Soil*. 2024;1-25.
- [60] Powlson DS, Gregory PJ, Whalley WR, Quinton JN, Hopkins DW, Whitmore AP, et al. Soil management in relation to sustainable agriculture and ecosystem services. *Food Policy*. 2011;36:S72-87.
- [61] Raimi A, Roopnarain A, Adeleke R. Biofertilizer production in Africa: Current status, factors impeding adoption and strategies for success. *Sci Afr*. 2021;11:e00694.
- [62] Rashid M, Hussain Q, Khan KS, Alwabel MI, Hayat R, Akmal M, et al. Carbon-based slow-release fertilizers for efficient nutrient management: synthesis, applications, and future research needs. *J Soil Sci Plant Nutr*. 2021;21:1144-69.
- [63] Rastogi M, Verma S, Kumar S, Bharti S, Kumar G, Azam K, et al. Soil health and sustainability in the age of organic amendments: A review. *Int J Environ Climate Change*. 2023;13(10):2088-102.
- [64] Riaz U, Mehdi SM, Iqbal S, Khalid HI, Qadir AA, Anum W, et al. Bio-fertilizers: eco-friendly approach for plant and soil environment. In: *Bioremediation and biotechnology: sustainable approaches to pollution degradation*. 2020. p. 189-213.
- [65] Rossel RAV, Bouma J. Soil sensing: A new paradigm for agriculture. *Agric Syst*. 2016;148:71-4.
- [66] Sahu N, Vasu D, Sahu A, Lal N, Singh SK. Strength of microbes in nutrient cycling: a key to soil health. In: *Agriculturally Important Microbes for Sustainable Agriculture: Volume I: Plant-soil-microbe nexus*. 2017. p. 69-86.
- [67] Sami Ul Din M, Ahmad I, Hussain N, Ahmad A, Wajid A, Khaliq T, et al. Agronomic cropping systems in relation to climatic variability. In: *Agronomic Crops: Volume 1: Production Technologies*. 2019. p. 67-82.
- [68] Sande TJ, Tindwa HJ, Alovisei AMT, Shitindi MJ, Semoka JM. Enhancing sustainable crop production through integrated nutrient management: a focus on vermicompost, bio-enriched rock phosphate, and inorganic fertilizers – a systematic review. *Front Agron*. 2024;6:1422876.
- [69] Senadheera UE, Jayasanka J, Udayanga D, Hewawasam C, Amila B, Takimoto Y, et al. Beyond Composting Basics: A Sustainable Development Goals–Oriented Strategic Guidance to IoT Integration for Composting in Modern Urban Ecosystems. *Sustainability*. 2024;16(23):10332.
- [70] Shah F, Wu W. Soil and crop management strategies to ensure higher crop productivity within sustainable environments. *Sustainability*. 2019;11(5):1485.
- [71] Shah F, Wu W. Soil and crop management strategies to ensure higher crop productivity within sustainable environments. *Sustainability*. 2019;11(5):1485.

- [72] Sharma DK, Singh A. Salinity research in India-achievements, challenges and future prospects. *Water Energy Int.* 2015;58(6):35-45.
- [73] Sharma P, Patra A, Singh B, Mehta S. Microbial rejuvenation of soils for sustainable agriculture. In: *Sustainable Agriculture Reviews 60: Microbial Processes in Agriculture*. Cham: Springer Nature Switzerland; c2023. p. 293-323.
- [74] Sharma UC, Datta M, Sharma V. Soil microbes and biofertilizers. In: *Soils in the Hindu Kush Himalayas: Management for Agricultural Land Use*. Cham: Springer International Publishing; c2023. p. 117-44.
- [75] Singh NK, Sachan K, BP M, Panotra N, Katiyar D. Building soil health and fertility through organic amendments and practices: a review. *Asian J Soil Sci Plant Nutr.* 2024;10(1):175-97.
- [76] Singh VK, Malhi GS, Kaur M, Singh G, Jatav HS. Use of organic soil amendments for improving soil ecosystem health and crop productivity. *Ecosyst Serv.* 2022.
- [77] Stolze M, Lampkin N. Policy for organic farming: rationale and concepts. *Food Policy.* 2009;34(3):237-44.
- [78] Suhag M. Potential of biofertilizers to replace chemical fertilizers. *Int Adv Res J Sci Eng Technol.* 2016;3(5):163-7.
- [79] Tariq M, Jameel F, Ijaz U, Abdullah M, Rashid K. Biofertilizer microorganisms accompanying pathogenic attributes: a potential threat. *Physiol Mol Biol Plants.* 2022;28(1):77-90.
- [80] Thakur N. Organic farming, food quality, and human health: A trisection of sustainability and a move from pesticides to eco-friendly biofertilizers. In: *Probiotics in Agroecosystem*. 2017. p. 491-515.
- [81] Tian J, Ge F, Zhang D, Deng S, Liu X. Roles of phosphate solubilizing microorganisms from managing soil phosphorus deficiency to mediating biogeochemical P cycle. *Biology.* 2021;10(2):158.
- [82] Tiemann T, Douxchamps S. Opportunities and challenges for integrated smallholder farming systems to improve soil nutrient management in Southeast Asia. *World Dev Sustain.* 2023;100080.
- [83] Urra J, Alkorta I, Garbisu C. Potential benefits and risks for soil health derived from the use of organic amendments in agriculture. *Agronomy.* 2019;9(9):542.
- [84] Vallee M, Merdan M, Lepuschitz W, Koppensteiner G. Decentralized reconfiguration of a flexible transportation system. *IEEE Trans Ind Inform.* 2011;7(3):505-16.
- [85] Verma S, Singh A, Pradhan SS, Singh RK, Singh JP. Bio-efficacy of organic formulations on crop production-a review. *Int J Curr Microbiol Appl Sci.* 2017;6(5):648-65.
- [86] Yadav AN, Kour D, Kaur T, Devi R, Yadav A, Dikilitas M, et al. Biodiversity, and biotechnological contribution of beneficial soil microbiomes for nutrient cycling, plant growth improvement and nutrient uptake. *Biocatal Agric Biotechnol.* 2021;33:102009.
- [87] Yadav A, Yadav K. Challenges and opportunities in biofertilizer commercialization. *SVOA Microbiol.* 2024;5(1):1-14.
- [88] Yang C, Yang L, Yang Y, Ouyang Z. Rice root growth and nutrient uptake as influenced by organic manure in continuously and alternately flooded paddy soils. *Agric Water Manag.* 2004;70(1):67-81.