Natural Resources for Human Health
eISSN: 2583-1194

Original Research

Received 07 July 2026
Revised 16 Aug 2026
Accepted 30 Aug 2026

Natural Resources for Human Health 2026, Vol. 6 (19s): 361–373

KEYWORDS:
Artificial Intelligence, Smart Health Technologies, Predictive Diagnosis, Machine Learning, Public Health Management.

Smart Health Technologies: Integrating AI for Predictive Diagnosis and Effective Public Health Management

Shaik Akbar[1], Mrs. Nidhi[2], Mrs. Garima Chaudhary[3], Vaibhav Harishchandra Bansode[4], Sabeen Fatma[5], Dr.R.Bharath Kumar[6]

[1]Associate professor, CSE- AI & ML, Geethanjali College of engineering and Technology
Medchal, Hyderabad, Telangana, akbarshaik71185@gmail.com
[2]Assistant Professor, Department of Computer Science & Engineering, COER University
Haridwar, Roorkee, Uttarakhand, nidhiamit1529@gmail.com
[3]Instructor Computer, Department of vocational education, skill development and entrepreneurship, Government of UP, Government ITI Najibabad, Bijnor, Najibabad Uttar Pradesh, chaudharygarima29@gmail.com
[4]Assistant Professor, Mechanical Engineering, Sinhgad Institute, Pune, Maharashtra bansode.vaibhav@gmail.com
[5]Assistant Professor, College of Applied Medical Sciences, University of Bisha, Kingdom of Saudi Arabia, sfatma@ub.edu.sa
[6]Associate Professor, Department of Bio Medical Engineering, Indra Ganesan College of Engineering, Trichy, Manikandam, Tamil Nadu, bharathkumarece@igceng.com
Orcid: 0000-0002-6941-6325, Scopus Id: 57224954809

ABSTRACT: There is enormous potential in implementing artificial intelligence (AI) in smart health technologies to increase predictive or preventive diagnosis and health management among the population. This paper will explain how machine learning, deep learning, wearable sensors, electronic health records, and smart analytical systems can be utilized to help with the early detection of disease, continuous health treatment, clinical decision-making, and planning of population health. Such claims are supported by a systematic literature review investigating the applications of AI in mental health, chronic disease management, respiratory diagnostics, oral health, and tracking a population at risk. Furthermore, an analytical structure written in Python is proposed to benefit the comparison between the Logistic Regression, Decision Tree, and the Random Forest algorithms to classify the disease. Data processing involves data preparation, exploratory analysis, model training and performance analysis (accuracy and precision, recall, F1-score, and receiver operating characteristic area under the curve ROC-AUC). The framework is of special interest in the features that are important, the model that can be interpreted and the implications of predictive analytics as a resource allocation tool in healthcare. The study suggests the opportunities of the individualised interventions, the improved screening of patients, and the evidenced based strategy of the population health. However, privacy of data, bias in algorithms, cybersecurity, interoperability and disproportionate access are the key challenges of implementation. The literature results indicate that integration of AI should be carried out through responsible approaches based on clinical validation, transparent algorithms, ethical governance and professional supervision. All in all, intelligent health technologies based on AI will have the capacity to facilitate more proactive, efficient, accessible and sustainable health systems provided they are implemented in a responsible direction and assessed using empirical evidence.

Natural Resources for Human Health
eISSN: 2583-1194

I. INTRODUCTION

With the swift development of artificial intelligence (AI) and digital technologies, the healthcare field has changed its nature and offered new predictive diagnosis, disease prevention, and effective population health management opportunities [1]. Machine learning algorithms, wearable gadgets, electronic health records, the Internet of Medical Things (IoMT), and remote patient monitoring systems are smart health technologies that help healthcare professionals to gather, analyse, and interpret various data volumes of medical information [2]. These innovations aid in the early detection of diseases, personalised treatment choice, and streamline the delivery of health care. Due to the growing pressure on healthcare systems posed by the aging population, chronic diseases, epidemic outbreaks, and scarce healthcare resources, the utilisation of AI in healthcare has become a significant research topic. Predictive diagnosis is an AI-based approach that utilizes the power of computational tools to find the patterns in clinical data and predict the probability of the emergence of specific diseases. Machine learning and deep learning algorithms can be used to process medical images, lab data, patient history, and physiology, to help detect cardiovascular-related diseases, diabetes, and cancer [3]. Moreover, AI-cycle systems in the field of public health may assist in disease monitoring, outbreak prediction, resource distribution, and the identification of potential risk groups. Such abilities can empower evidence-based decision-making and facilitate healthcare authorities to take time-prompted preventive actions.

Despite these advantages, the implementation of smart health technologies is fraught with a number of challenges: emphasis on the problem of data privacy, algorithm bias, inability to combine data, the threat of cyberattacks and their accessibility to various groups. Additionally, the vulnerability and explicability of the AI-predictions are not only important to take into account when embracing the technology by clinicians but also to implement it in a responsible way. The solutions to these issues would include the establishment of the appropriate regulatory framework, the quality of datasets, the existence of an open algorithm, and collaboration between the healthcare professionals, technology developers, and the authorities of the public health. This research examines the application of AI in the smart health technologies, its use in predictive diagnosis and optimal control of the state of health in the population. It delves into the opportunities, operational complexity, and other issues of AI-driven healthcare solutions. This study attempts to make a contribution through these dimensions towards achieving how intelligent healthcare technologies can improve the performance of diagnostic, preventive healthcare and help achieve a more efficient, accessible and sustainable public health system.

II. RELATED WORKS

Artificial intelligence (AI) has now entered the sphere of smart healthcare, serving predictive diagnosis, personalised treatment, continuous health monitoring and disease management at the population level. The use of advanced computational methods to tackle various medical fields has been discussed by recent research indicating the potential of AI-enabled healthcare system usage, as well as challenges in its implementation. In a study of mental health diagnosis and therapeutic treatment with large language models (LLMs), Ghorbian and Ghobaei [15] noted the increasing role of using language-based AI in interpersonal relationships and support to clinical practice. These technologies could help to interpret the information provided by patients and complement the initial examinations. But when they are implemented, they need to consider a high degree of diagnostic dependability, patient confidentiality and the dangers of giving inaccurate prescriptions. Likewise, Hamada and Hemdan Ezz El-Din [16] studied a presentable AI-enabled health-scoring system of smart city sustainability. Their study links intelligent health assessment with the more general goals of urban sustainability, which imply that explainable AI systems may be used in health surveillance and evidence-based community health planning. Specialised diagnostic AIs have also been extended to specialised diagnostic applications. The review of recent progress in artificial intelligence in olfaction and gustation, Hao et al. [17] showed the applicability of intelligent technologies to the analysis of sensory data and associated diagnostic tasks. These innovations demonstrate the extent to which AI can be able to detect complex trends that are possibly hard to detect in a more traditional method. Moreover, Li et al. [24] considered AI practices in oral healthcare care, identifying both avenues of better diagnosis and patient management, as well as the problems on the path of implementation and clinical adoption. Lin et al. [25] were interested in AI-driven diagnostics of childhood asthma and respiratory anomalies with deep learning, and wearable sensors. The given field of research points to the possibilities of integrating the use of physiological monitoring with predictive algorithms to help identify respiratory abnormalities earlier.

Another significant technological advance in smart healthcare is wearable technologies. Kim et al. [21] explored the concept of combining AI and wearable sensors to monitor and diagnose health at an advanced level. Such technologies can be used to record the continuous physiological measurements and analyze them in order to provide a timely intervention. Kumar et al.

[23] have taken into account AI-based wearable sensing technology to manage cancer, diabetes, and the COVID-19 as well. Collectively, these research areas are suggesting that there is possible positive impact that sensor-data can produce when coupled with smart algorithms to improve remote monitoring and management of chronic diseases. Nevertheless, the accuracy of sensor figures, security of data and reliability of the predictive models is a considerable factor. Responsible implementation is also needed in the burdened translation of technical achievements into efficient healthcare services. Haque [18] argued about responsible AI in healthcare considering the views of leadership and strategic management and pondered the significance of governance and organisational responsibility. Henry [20] carried out the study of the analytics lifecycles in the population health management whereby he stressed the need to incorporate the analytical processes in clinical decision-making. Besides, Kolivand et al. [22] conducted a survey of AI use in disaster governance using the health lens, providing the example of the way smart systems can be applied to emergency preparedness and coordination of public health.

Additional background of population health work is on predictive healthcare planning. He et al. [19] investigated the burden of lower-extremity peripheral arterial disease in the world (prevalence and incidence), mortality, and disability-adjusted life years as well as projections. Such epidemiological evidence can be applied to predictive strategies in the sphere of public health and evaluate them. The study by Maciej et al. [26] looked at AI-based digital twins in healthcare both locally and globally, and this suggests that interconnected representations of computations are relevant in healthcare analysis and planning. No matter the progress, further studies into predictive diagnosis, wearable monitoring, explainable AI and population health analytics integration in consistent healthcare systems are needed. The present paper will address this gap by addressing how AI-driven smart health technologies can be used to aid in early disease prediction and effective population health management taking into account the problems of reliability, governance and implementation.

III. METHODS AND MATERIALS

The aim of the Smart Health Technologies: Integrating AI to Benefit Predictive Diagnosis and Efficient Public Health Management methodology is to test the potential of artificial intelligence (AI) to help with predictive diagnosis, disease surveillance, clinical decision-making, and planning of a population health. The primary programming platform of the data processing, exploration data analysis, machine learning modeling, and performance analysis will be Python [4]. The suggested method is a combination of a literature review and a computational framework of analysing healthcare information. In order to ensure methodological stasis, the study will divide the analytical processes that would be carried out, as well as the results that will be acquired once the experiments have been carried out.

A. Research Design

This method of research design is quantitative, calculational using secondary health care data. It is a perfect way of evaluating predictive models, as it enables evaluation of relationships among patient characteristics, clinical measures, and disease outcome with a systematic approach. The analysis of the available academic sources will be structured and will become the conceptual framework to seek the applications of AI in smart healthcare and population health management [5].

The computational component will focus on guided machine learning, where the models will be trained on labelled data on the patterns to classify into a desirable health outcome. The prime illustration of the analytical activity will be a classification activity, i.e., the predictability of a disease being present or absent. The paper will also take into account the wider ramifications of AI-enabling tools, such as how wearable sensor data and electronic health records can be used to create the continuous monitoring and early intervention [6].

The methodology is not intended to replace clinical judgement but to be used to assess the predictive performance. Model predictions will be perceived as decision-support products that should be subject to being clinically validated.

B. Materials and Data Sources

The choice of secondary data will be a publicly accessible healthcare dataset, e.g., an appropriate dataset that is available on the UCI Machine Learning Repository or Kaggle. The ultimate dataset will be chosen based on the relevance to disease prediction, completeness, documentation, accessibility, and appropriateness to analysis with Python. Potential variables are age, biological measurements, blood pressure, glucose levels, cholesterol and a labelled disease outcome [7]. The variables will be chosen based on the dataset; that is, the variables will not be assumed to be present in all healthcare datasets. The proposed analysis will not need any personal identifiable information.

The table below displays the key materials and uses of those materials.

Table 1. Materials and tools used in the proposed study

Material/tool	Purpose
Public healthcare dataset	Provides clinical attributes and disease labels for analysis
Python	Main programming and analytical environment
Pandas and NumPy	Data manipulation, cleaning, and numerical operations
Matplotlib and Seaborn	Data visualisation and exploratory analysis
Scikit-learn	Model training, validation, and performance evaluation
Jupyter Notebook	Documents and executes the analytical workflow

C. Data Preprocessing

A preprocessing of data will be done to enhance the good quality of data and reduce analytical errors prior to the development of the model. First, the dataset will be analysed in order to determine its dimensions, type of variables, missing data, redundant data and inconsistencies. Where necessary, duplicate entries will be eliminated, and missing values will be addressed with the help of a reasonable imputation method. In the case of numerical variables, when there are extreme numbers in the distribution, median imputation can be implemented; with a categorical variable, the most common category can be used as a form of imputation [8].

Where needed, categorical features will be represented into numerical representations. When methods like normalisation using a common nomenclature are sensitive to variations in the measured scales, it is possible to standardise numerical features, such as standard scaling. Selection of features will be informed by domain relevance, as well as quality of data [9]. Notably, the training transformation will also be fitted using the training data only, to avoid any information leakage to the test set.

D. AI Model Development

Three of the learning algorithms will be taken into consideration: Logistic Regression, Decision Tree and Random Forest. Logistic Regression will give a baseline classification model, and will give relatively interpretable estimates of predictor-outcome associations. Nonlinear relationships will be determined using hierarchical decision rules in Decision Tree and multiple decision trees, which will be grouped together in Random Forest to enhance predictive robustness and minimize the chances of overfitting [10].

The dataset will be separated into training and testing sets with 80:20 split where there are enough data to split. Stratified sampling will maintain the near distribution of outcome classes. Five-fold cross-validation with the training portion will be used to facilitate model choice and hyperparameter optimization. The test group will be kept apart till the late assessment [11].

Table 2. Proposed AI models and evaluation metrics

Model or metric	Analytical purpose
Logistic Regression	Establishes a baseline for disease classification
Decision Tree	Identifies interpretable decision rules
Random Forest	Captures complex patterns through ensemble learning
Accuracy	Measures the proportion of correct predictions
Precision	Measures the proportion of positive predictions that are correct
Recall (sensitivity)	Measures the proportion of actual positive cases identified
F1-score	Balances precision and recall
ROC-AUC	Evaluates discrimination across classification thresholds

E. Python-Based Implementation

The entire prospect of analysis will be adopted in Python. Pandas and NumPy will be used to prepare data and create visualisations (Matplotlib and Seaborn) such as class-distribution plots, correlation heatmaps and comparative performance charts. The classification algorithms, and data-splitting functions, preprocessing pipelines, and evaluation metrics will be the work of scikit-learn [12].

It will be implemented in a reproducible workflow: loading the dataset, quality evaluation, preprocessing, exploratory data analysis, model training, cross-validation, test-set prediction, and performance analysis. Where possible, a fixed random seed will be employed to enhance reproducibility. This will be done in the form of confusion matrices and ROC curves to analyze how classification errors are made and how to differentiate the true-positive, false-positive, true-negative, and false-negative predictions [13].

The same test set held-out will be compared across the models. Accuracy will not be considered as the only measure of success since a misbalanced data set can yield false pictures of high accuracy. Specific focus will be given to recall and precision where inaccurate detection of cases of illness (missed and false-positive), may exhibit varying clinical outcomes.

F. Data Analysis and Public Health Interpretation

The overall analysis will be to determine the best predictive performance model that will be exhibited using the selected data set. Where appropriate, feature importance or model coefficients will be analyzed to know the contribution of single variables. But predictive associations will not necessarily be understood to be causal associations.

The results will be elaborated based on possible use in early diagnosis, stratification of population at risk, disease surveillance and allocation of resources to the general population health. To apply generalisation to real healthcare environments, further validation on representative populations and where feasible, external datasets will be needed.

G. Ethical Considerations and Limitations

Appropriate secondary data accessible will be used in the study and relevant dataset licensing terms will be adhered to. Privacy will be ensured through non-disclosure of unwarranted personal information, and any potential algorithmic bias and non-equivalent predictive accuracy among demographic groups will be taken into consideration where the variables considered and sufficient sample sizes [14].

Limitations of the study might be the size of the data set, information missing, class imbalance, and discrepancies between the publicly available data and actual clinical populations. Moreover, the fact that an AI system can help improve patient outcomes cannot be proven by Python-based experiments. Before practical deployment, clinical validation, professional oversight, sound data governance and appropriate regulatory approval are still required.

IV. RESULTS AND ANALYSIS

A. Dataset Characteristics and Exploratory Analysis

The paper explores the ways artificial intelligence (AI) could be used in predictive diagnosis based on structured healthcare data. It suggests Python libraries such as Pandas, NumPy, Matplotlib, Seaborn, and Scikit-learn to process data, visualise it, create models, and assess them. The data given in this section are illustrative images that are aimed at showing how the analysis is expected to be carried out; it is not experimental data.




Figure 1: "Revolutionizing healthcare with an in-depth analysis of AI's transformative impact"

The first analysis explores the completeness of datasets, distributions of variables, classes ratio as well as associations between clinical and outcome characteristics and the target disease outcome. The age, glucose levels, blood pressure, and cholesterol, as numerical variables, can be useful as predictive variables, depending on the chosen datasets. The missing data and the gaps in the data should be filled in prior to the training of the models as a way of making valid comparisons.

Table 1. Illustrative dataset characteristics

Parameter	Illustrative value
Total observations	1,000

Training observations (80%)	800
Testing observations (20%)	200
Numerical predictors	6
Categorical predictors	2
Target variable	Disease status
Data source	Public healthcare dataset

To analyze the data, in the exploratory analysis, histograms would be used to look at numerical distributions, bar charts would be used to look at disease prevalence, and correlation heatmaps would be used to look at relationships among numerical variables. High correlations can imply that there are similarities in the amount of information between the predictors, but correlation does not imply a cause-effect relationship [27]. Class imbalance would also be studied as it can affect the model training and evaluation.

B. Comparative Performance of Machine Learning Models

Three classification algorithms, including Logistic Regression, Decision Tree and Random Forest, are discussed to predict disease status. Their performance is evaluated in terms of accuracy, precision, recall, F1-score and receiver operating characteristic area under the curve (ROC-AUC).

Table 2. Illustrative performance comparison of AI models

Model	Accuracy (%)	Precision (%)	Recall (%)	F1-score (%)	ROC-AUC
Logistic Regression	82.0	80.0	78.0	79.0	0.86
Decision Tree	78.0	75.0	76.0	75.5	0.79
Random Forest	86.0	84.0	82.0	83.0	0.90

The descriptive comparison indicates that Random Forest, when compared to the other two models, had the highest accuracy, F1-Score, and ROC-AUC. Its ensemble structure is the combination of forecasts of several decision trees, so it may reflect complicated links among clinical factors. Competitive Logistic Regression has a potential advantage of a competitive baseline,

and it might be simpler to interpret, whereas a single Decision tree presents rules of decision making in a transparent way, and overfitting can be more prevalent [28].




Figure 2: "Artificial intelligence in healthcare and medicine"

Random Forest in this instance can be considered with an accuracy of 86% whereas Logistic Regression and Decision Tree can reach the accuracy of 82 and 78 respectively. Nevertheless, such differences could never prove the real superiority of any algorithm without implementation on the chosen dataset. A final ranking should be identified by a means of reproducible testing and suitable validation.

C. Analysis of Classification Performance

Accuracy measures the percentage of correct predictions, and it does not describe the nature of the error of a model. False negatives are of great interest in predictive diagnosis since they portray subjects of an illness who are misdiagnosed as being disease-free. False positives also can generate unwarranted follow-up tests and strain on medical care.

Precision and recall are used to determine how many cases were predicted to be positive and as many cases that were actually positive respectively. F1-score gives a composite measure of recall and precision. ROC-AUC is used to evaluate how a model differentiates between positive and negative cases at various classification thresholds [29].

Table 3. Illustrative confusion matrix for Random Forest

Actual class	Predicted positive	Predicted negative
Positive	82 (true positives)	18 (false negatives)
Negative	14 (false positives)	86 (true negatives)

The input generates 168 accurate predictions according to 200 observations which is 84% accuracy. The resultant recall is 82 and the precision is about 85.4. These estimates vary with the 86 percent accuracy in Table 2 since the confusion table is an independent illustrative example. It only has to be consistent, meaning to get the same metrics reported in an actual paper all have to come out of the same predictions.

Natural Resources for Human Health
eISSN: 2583-1194




Figure 3: "The Impact of Artificial Intelligence on Health Outcomes"

The illustration shows why confusion matrices are useful in explaining model performance. Even a high accuracy model can result in some cases being missed that are clinically important. The classification threshold desired, therefore, must be based on the desired clinical use, effects of misdiagnosis, and the necessity of professional estimation [40].

D. Feature Importance and Predictive Factors

Knowledge about what variables lead to predictive performance can assist the team of medical professionals in determining the relevance of AI-generated outputs. The direction of relationships may be provided by the coefficients of Logistic Regression, whereas the tree-based models can provide an estimation of the importance of features. Nevertheless, these techniques alone do not reveal causal relationships.

Table 4. Illustrative feature-importance ranking

Rank	Clinical variable	Illustrative importance (%)
1	Glucose level	24
2	Age	19
3	Body mass index	17
4	Blood pressure	15
5	Cholesterol	13
6	Other clinical variables	12
	Total	**100**

Here, random forest is best predicted by glucose level and age. This pattern may be clinically plausible to some datasets of metabolic diseases, yet its applicability is dependent on the conditions of interest, a population of patients, and the available

variables. The importances of features then should be directly obtained using the real training data and should be interpreted carefully.




Figure 4: "How AI is Transforming HealthCare"

Where possible, permutation importance or SHAP-based explanations could supplement conventional feature-importance measures. These methods can assist in determining the sensitivity of model predictions to individual characteristics though the explanations are still based on the information and the modelling assumptions. Subgroup analysis is also essential through which the ability of prediction can be investigated to determine the differences in age group, gender, and or any other population of interest.

E. Implications for Public Health Management

The AI-accompanied prediction may help in managing the population health by classifying statuses of the population that require further evaluation, fostering disease monitoring, and aiding the organisation of healthcare services to develop preventive strategies. Predictive systems could be used with wearable monitoring and electronic health records to predict changes to patient health sooner.

Table 5. Potential applications of AI in public health management

Application	Potential benefit	Important consideration
Early disease prediction	Supports timely clinical assessment	Requires clinical validation
Population risk stratification	Helps prioritise high-risk groups	Must avoid demographic bias
Disease surveillance	Supports monitoring of	Depends on timely, reliable data

	emerging patterns	
Resource allocation	Informs planning for staff and services	Predictions must reflect local needs
Remote patient monitoring	Supports continuous observation	Requires privacy and cybersecurity safeguards

These apps are illustrations of how predictive analytics may supplement traditional public health. As an example, validated risk estimates might allow the healthcare teams to prioritize follow-up appointments or to recognise communities that demand preventive screening. On the population level, aggregate data may be used to plan on the issue of medical supplies, staffing and health promotion.

However, the better model performance is not necessarily associated with the better patient outcomes or reduced healthcare spending. The quality of data, interoperability, the training of the workforce, affordability, society trust, and relevant clinical supervision are key to successful implementation. The models that are trained with a population can also give poor performance when used in a different population whose demographics or clinical factors differ.

F. Overall Analysis

The suggested analysis offers a model on assessing the forecasting abilities of AI models and their possible applicability to intelligent healthcare. The example comparisons indicate that complementary measures can be used to detect variations in classification, whereas feature-importance analysis can be utilized to clarify and plan health services to the population.

The location of the final experiment assessment must provide real-generated results of Python, consistent predictions on test-sets, and preprocessing, cross-validation, and model settings. Before practical deployment external validation and subgroup assessment must be taken into consideration. After all, AI must act as a decision-making tool and not a direct substitute of healthcare providers. Its input to efficient management of health needs of the population has to be evaluated based on its predictive reliability and effectiveness in actual healthcare environments.

V. CONCLUSION

Introduction of the concept of artificial intelligence (AI) into smart health technologies can be considered one of the primary steps in predictive diagnosis and effective population health management. The paper elaborated on whether machine learning, deep learning, wearable sensors, electronic health records and smart analytical systems could be used to make the disease prediction process, clinical decision-making process, and population health monitoring more effective. The literature review indicates that AI-based technologies in the healthcare sector can be used to facilitate timely detection of health hazards, constant patient care, tailored treatment, and resource-richer allocation of healthcare. The competencies are particularly relevant to the management of chronic, respiratory diseases, mental diseases, and emerging health challenges to individuals. The proposed Python-based analytical system provides a systematic approach to the evaluation of the Logistic Regression, Decision Tree and the Random Forest algorithms to predict the diseases. Data preprocessing, exploratory data analysis, model training, and performance analysis can help the framework to identify the strengths and weaknesses of different predictive methods as compared to others. However, the actual model operation must be ascertained with the experimental data sets and results produced experimentally. The predictive accuracy is not enough and precision, recall, F1-score, ROC-AUC, interpretability, and performance according to the demographic groups should also be taken into account as the measures of clinical suitability.

Regardless of these possibilities, there are still multiple challenges such as data privacy, cybersecurity, algorithmic bias, lack of interoperability, and unequally spread access to digital healthcare infrastructure. To address these issues, it will be required to

have transparent AI systems, responsible organisational leadership, effective regulatory compliance, and collaboration between medical professionals and researchers, technology developers and government bodies in the health field. The Artificial Intelligence is able to make predictions that can be introduced into clinical judgement but not replace health care specialists. It is recommended that research in the future should be based on external validation, clinical testing in practice, explainable AI, and non-privacy-cutting data analysis and integration with wearable monitoring devices. More research also needs to be conducted to comprehend how far AI-based interventions can improve the outcome of patients, reduce the cost of health care and the preparation of populations in various regions to meet the pandemic. In conclusion, smart health technologies have high potential to transform healthcare into reactive care to predictive and preventive, and data-driven healthcare management. Their triumph needs to be supported by the convergence of credible analytical procedures and moral control, clinical verification, and affordable accessibility. An evidence-based and mature attitude to AI can lead to easier, healthier, and more sustainable healthcare systems and enable citizen decision-making of their health.

REFERENCE

[1] Abrar, M., ur Rehman, M., Khalid, S. & Ullah, R. 2026, "The intersection of artificial intelligence and assistive technologies in the diagnosis and intervention of mental health conditions", *The Artificial Intelligence Review,* vol. 59, no. 2, pp. 40.

[2] Alexandros, R., Petros, S., Athanasios, G., Thrassos, P., Paravantis, J.A., Skouras, E.D. & Giouli, M. 2025, "Artificial Intelligence for Enhancing Indoor Air Quality in Educational Environments: A Review and Future Perspectives", *Sustainability,* vol. 17, no. 22, pp. 10117.

[3] Allayl, M. & Bahari, G. 2026, "Integrating Artificial Intelligence into Clinical Care: A Cross-Sectional Study to Advance Healthcare in Saudi Arabia", *Journal of Multidisciplinary Healthcare,* vol. 19, pp. 1-14.

[4] Aloughani, M. 2026, "TOWARD SMARTER URBAN FUTURE: A STRUCTURED REVIEW OF THE CONCEPTS, IMPLEMENTATION STRATEGIES, AND GLOBAL APPLICATIONS", *Theoretical and Empirical Researches in Urban Management,* vol. 21, no. 1, pp. 5-36.

[5] Alsabah, M., Naser, M.A., Albahri, A.S., Albahri, O.S., Alamoodi, A.H., Abdulhussain, S.H. & Alzubaidi, L. 2025, "A comprehensive review on key technologies toward smart healthcare systems based IoT: technical aspects, challenges and future directions", *The Artificial Intelligence Review,* vol. 58, no. 11, pp. 343.

[6] Alsehani, F.N. 2026, "Harnessing Artificial Intelligence and Digital Technologies for Sustainable Healthcare Delivery in Saudi Arabia: A Comprehensive Review, Issues, and Future Perspectives", *Sustainability,* vol. 18, no. 3, pp. 1461.

[7] Branda, F., Stella, M., Ceccarelli, C., Federico, C., Giancarlo, C., Antonello, M., Massimo, C. & Fabio, S. 2025, "The Role of AI-Based Chatbots in Public Health Emergencies: A Narrative Review", *Future Internet,* vol. 17, no. 4, pp. 145.

[8] Chuang, G., Guangjian, Z., Wang, Y., Dandan, S., Xiangjin, S. & Wang, Z. 2025, "Research Status and Development Trends of Artificial Intelligence in Smart Agriculture", *Agriculture,* vol. 15, no. 21, pp. 2247.

[9] Correia, V., Mascarenhas, T. & Mascarenhas, M. 2025, "Smart Pregnancy: AI-Driven Approaches to Personalised Maternal and Foetal Health—A Scoping Review", *Journal of Clinical Medicine,* vol. 14, no. 19, pp. 6974.

[10] Das, D.K. 2025, "Integrating IoT and AI for Sustainable Energy-Efficient Smart Building: Potential, Barriers and Strategic Pathways", *Sustainability,* vol. 17, no. 22, pp. 10313.

[11] De La Hoz, Jeimy Martinez, Islam, M.D.S., Bappy, M.M. & Hayes, M.P. 2026, "AI-enabled modeling for smart rural wastewater treatment systems: current practices and remaining gaps", *Applied Water Science,* vol. 16, no. 2, pp. 40.

[12] Elgammal, Z., Albrijawi, M.T. & Alhajj, R. 2025, "Digital twins in healthcare: a review of AI-powered practical applications across health domains", *Journal of Big Data,* vol. 12, no. 1, pp. 234.

[13] Elmosaad, Y.M. 2026, "Artificial Intelligence in Social Health: A Narrative Review of Uses, Advantages, Challenges, and Future Directions", *Healthcare,* vol. 14, no. 14, pp. 2114.

[14] Ezeji, C.L. 2025, "Smarter corrections and intelligence-driven innovations in correctional services in contemporary society", *International Journal of Business Ecosystem & Strategy,* vol. 7, no. 6, pp. 244-262.

[15] Ghorbian, M. & Ghobaei-Arani, M. 2026, "Large language models for mental health diagnosis and treatment: a survey", *The Artificial Intelligence Review,* vol. 59, no. 1, pp. 9.

[16] Hamada, N. & Hemdan Ezz El-Din 2026, "Explainable AI-Driven Health Scoring Framework for Smart City Sustainability", *Sustainability,* vol. 18, no. 9, pp. 4617.

[17] Hao, Z., Li, H., Guo, J. & Xu, Y. 2025, "Advances in artificial intelligence for olfaction and gustation: a comprehensive review", *The Artificial Intelligence Review,* vol. 58, no. 10, pp. 306.

[18] Haque, A. 2025, "Responsible artificial intelligence (AI) in healthcare: a paradigm shift in leadership and strategic management", *Leadership in Health Services,* vol. 38, no. 4, pp. 644.

[19] He, Y., Zhou, M., Tang, J., Zheng, Y., Chen, J., Xing, B., Li, D., Liang, M., Tang, W., Li, X. & Wang, X. 2025, "Global, regional, and national burden of lower extremity peripheral arterial disease: a systematic analysis of prevalence, incidence, deaths, and dalys from 1990 to 2021 with projections and dietary risk factors to 2036", *Journal of Health, Population and Nutrition,* vol. 44, no. 1, pp. 351.

[20] Henry, J.A. 2026, "Population health management fit lifecycles in analytics", *Frontiers in Artificial Intelligence,* vol. 8, pp. 1496945.

[21] Kim, D., Ahmed, S.S., Amirhossein, A., Kwanghee, W. & Xiaojun, X. 2026, "Integrating Artificial Intelligence with Wearable Sensors for Advanced Health Monitoring and Diagnosis", *Biosensors,* vol. 16, no. 6, pp. 344.

[22] Kolivand, P., Azari, S., Bakhtiari, A., Namdar, P., Ayyoubzadeh, S.M., Rajaie, S. & Ramezani, M. 2025, "AI applications in disaster governance with health approach: A scoping review", *Archives of Public Health,* vol. 83, no. 1, pp. 218.

[23] Kumar, A., Shubham, G., Abhishek, C., Sunil, D., Mishra, V.K. & Kumar, R. 2025, "Artificial Intelligence-Based Wearable Sensing Technologies for the Management of Cancer, Diabetes, and COVID-19", *Biosensors,* vol. 15, no. 11, pp. 756.

[24] Li, H., Chen, S., Chang, B., Wang, X., He, Y., Xu, B., Sun, G., Yang, C., Li, G., Li, S. & Li, G. 2026, "Application of artificial intelligence in oral health management: challenges and opportunities", *Frontiers in Medicine,* vol. 13, pp. 1700529.

[25] Lin, J., Tan, Y., Lin, Y. & Qiu, X. 2026, "Artificial intelligence-enhanced diagnostics for pediatric asthma and respiratory irregularities using deep learning and wearable sensors", *PeerJ Computer Science,* , pp. 26.

[26] Maciej, P., Aleksander, G., Ewelina, P., Jolanta, M., Mikołajewski Dariusz, Izabela, R. & Mikołajewska Emilia 2026, "From Local to Global Perspective in AI-Based Digital Twins in Healthcare", *Applied Sciences,* vol. 16, no. 1, pp. 83.

[27] Maji, P.K., Chakraborty, S., Sadiq, A., Basu, S. & Ghosh, K. 2026, "Empowering healthcare 5.0 with deep learning: techniques, trends, and future directions", *The Artificial Intelligence Review,* vol. 59, no. 9, pp. 188.

[28] Masood, S., Al-Bashrawi, M., Khan, M.A. & Dwivedi, Y.K. 2026, "From data to diagnosis: a systematic review on AI-driven approaches to diabetes prediction", *The Artificial Intelligence Review,* vol. 59, no. 3, pp. 103.

[29] Md Mobashir, H.S., Coresh, J., Dunn, J., Shiroma, E.J., Wilkins, K.J., Wolff-Hughes, D., Zhao, R., Hong, Y. & Anaya, G. 2026, "Big data integration for enhanced epidemiological research: insights and directions from NHLBI's workshop", *Frontiers in Digital Health,* vol. 8, pp. 1770258.

[30] Oleribe, O.O., Florida, U., Adati, T., Olaniran, O.H. & Taylor-Robinson, S. 2026, "Transforming Public Health Practice with Artificial Intelligence: A Framework-Driven Approach", *Healthcare,* vol. 14, no. 3, pp. 385.